

PATIENT MEDICATION INFORMATION

READ THIS FOR SAFE AND EFFECTIVE USE OF YOUR MEDICINE

Pr ZYMAR®

gatifloxacin ophthalmic solution

Read this carefully before you start taking **ZYMAR** and each time you get a refill. This leaflet is a summary and will not tell you everything about this drug. Talk to your healthcare professional about your medical condition and treatment and ask if there is any new information about **ZYMAR**.

What is ZYMAR used for?

ZYMAR is used to treat the signs and symptoms of bacterial conjunctivitis (pink eye).

Antibacterial drugs like ZYMAR treat only bacterial infections. They do not treat viral infections.

How does ZYMAR work?

ZYMAR is an antibiotic that kills and stops the growth of bacteria in the eye.

What are the ingredients in ZYMAR?

Medicinal ingredient: gatifloxacin, which is a member of the group of antibiotics known as “quinolones”.

Non-medicinal ingredients: benzalkonium chloride, as preservative, edetate disodium, purified water, sodium chloride, it may also contain hydrochloric acid and or sodium hydroxide.

ZYMAR comes in the following dosage forms:

Ophthalmic solution, 0.3% w/v

Do not use ZYMAR if:

- have ever had an allergic reaction to TEQUIN™ (gatifloxacin) Tablets or I.V., or any medicine in the group of antibiotics known as “quinolones”, such as CIPRO® (ciprofloxacin), LEVAQUIN® (levofloxacin), AVELOX® (moxifloxacin), OCUFLOX® (ofloxacin), or NOROXIN® (norfloxacin).
- are allergic to any component of ZYMAR (**See section What are the ingredients in ZYMAR?**).

To help avoid side effects and ensure proper use, talk to your healthcare professional before you take ZYMAR. Talk about any health conditions or problems you may have, including if you:

- wear soft contact lenses.
- have allergies to any medications.
- are pregnant or intend to become pregnant.

- are breast-feeding or intend to breast-feed.

Other warnings you should know about:

Do not use any other eye (ophthalmic) medicines without talking to your healthcare professional.

If you develop pain or swelling in your tendons, stop using ZYMAR and get immediate medical help.

This is more likely to happen if you are elderly or taking corticosteroids at the same time as ZYMAR.

Contact Lenses

You should not wear contact lenses when you are suffering bacterial conjunctivitis (pink eye). ZYMAR contains a preservative called benzalkonium chloride. It may discolour your soft contact lenses. If you must wear contact lenses, remove them before using ZYMAR. Wait 15 minutes after using the drops before you put your lenses back in.

Driving and using machines

Your vision may be temporarily blurred after using ZYMAR. Wait until you can see clearly before driving or using machines.

Tell your healthcare professional about all the medicines you take, including any drugs, vitamins, minerals, natural supplements or alternative medicines.

There are no known relevant interactions at this time.


How to take ZYMAR:

- Use ZYMAR as directed by your healthcare professional. Do not change the dosage of the drug without consulting your healthcare professional. If you stop treatment contact your healthcare professional immediately.
- Although you may feel better early in the treatment, ZYMAR should be used exactly as directed.
- Misuse or overuse of ZYMAR could lead to the growth of bacteria that will not be killed by ZYMAR (resistance). This means that ZYMAR may not work for you in the future.
- Do not share your medicine.
- To help prevent infections and eye injury, do not let the tip of the bottle touch your eye or anything else. Put the cap back on and close the bottle immediately after you have used it.
- You must not use the bottle if the tamper-proof seal on the bottle neck is broken before you first use it.

Follow these steps to use ZYMAR properly for each eye that needs treatment:

- Wash your hands. Tilt your head back and look at the ceiling. (See Illustration 1)
- Gently pull down your lower eyelid to create a small pocket. (See Illustration 2)
- Turn the bottle upside down and squeeze it gently to release one drop into the eyelid pocket. If a drop misses your eye, try again. (See Illustration 3)

- Let go of your lower eyelid, and close your eye for 30 seconds. (See Illustration 4)



- Repeat steps 1 to 4 in the other eye if both eyes need treatment.

Usual dose:

On days 1 and 2, instill one drop every two hours in the affected eye(s) while awake, up to 8 times daily. On days 3 to 7, instill one drop four times daily in the affected eye(s) while awake. Doses should be evenly spaced throughout the day.

Overdose:

If ZYMAR is swallowed, contact your healthcare professional or poison control centre.

If you accidentally add too many drops to your eye, ZYMAR may be flushed from your eye(s) with warm water.

If you think you, or a person you are caring for, have taken too much ZYMAR, contact your healthcare professional, hospital emergency department or regional poison control centre immediately, even if there are no symptoms.

Missed Dose:

If you forget to apply your eye drops at your normal time, apply them as soon as you remember. Then go back to the original schedule as directed by your healthcare professional. Don't try to catch up on missed drops by applying more than one dose at a time.

What are possible side effects from using ZYMAR?

These are not all the possible side effects you may have when taking ZYMAR. If you experience any side effects not listed here, contact your healthcare professional.

Side effects may include:

- altered sense of taste
- blurred vision
- dizziness
- light sensitivity
- nausea
- runny nose
- sneezing
- sore throat

- spots on the cornea
- swelling or other disorders of the area around the cornea

Serious side effects and what to do about them			
Symptom / effect	Talk to your healthcare professional		Stop taking drug and get immediate medical help
	Only if severe	In all cases	
UNKNOWN			
Allergic reaction: difficulty breathing, difficulty swallowing, fever, hives, itchy skin, rash, swelling of your tongue or throat, swelling or redness of the skin			✓
Corneal melts and perforation (damage to a part of your eye): vision loss, eye pain and leakage that may be mistaken as tears			✓
Eye irritation or any new eye problems such as: dryness of the eye, swelling or redness of the eyelid, tearing or eye discharge, decreased vision, or eye pain		✓	
Stevens-Johnson syndrome (life-threatening skin condition): blisters, rash, skin peeling, especially in mouth and eyes, skin pain			✓

If you have a troublesome symptom or side effect that is not listed here or becomes bad enough to interfere with your daily activities, tell your healthcare professional.

Reporting Side Effects

You can report any suspected side effects associated with the use of health products to Health Canada by:

- Visiting the Web page on Adverse Reaction Reporting (www.canada.ca/en/health-canada/services/drugs-health-products/medeffect-canada.html) for information on how to report online, by mail or by fax; or
- Calling toll-free at 1-866-234-2345.

NOTE: Contact your health professional if you need information about how to manage your side effects. The Canada Vigilance Program does not provide medical advice.

Storage:

Keep the bottle tightly closed when not in use and inside the outer carton (to protect from light). Store between 15 and 25°C, protect from freezing.

Discard bottle 28 days after opening.

Do not use ZYMAR after the expiration date (marked "EXP") on the bottle and the outer carton.

Keep out of reach and sight of children.

If you want more information about ZYMAR:

- Talk to your healthcare professional.
- Find the full product monograph that is prepared for healthcare professionals and includes this Patient Medication Information by visiting the Health Canada website: (www.canada.ca/en/health-canada/services/drugs-health-products/drug-products/drug-product-database.html); the manufacturer's website (www.abbvie.ca), or by calling 1-888-704-8271.

This leaflet was prepared by AbbVie Corporation.

Last revised: AUG 15, 2022

© 2022 AbbVie. All rights reserved.

ZYMAR and its design are trademarks of AbbVie Corporation.